
KLAASWOOD®



Formed by **SCIENCE**

Formed by **FUNCTION**

Formed by **PEOPLE**

Formed by **NATURE**

Dear valued customers,

I am thrilled to welcome you to KLAASWOOD® (KWD), a product that has been a dream of mine for the past 10 years. KWD is an innovative wood siding made in the USA, and it represents a significant advancement in the industry.

Our wood siding undergoes a unique thermal modification process. By subjecting the wood to elevated temperatures and pressure in a controlled environment, we are able to alter its chemical and physical properties. This transformation significantly enhances the wood's stability, durability, and resistance to decay and moisture. What's truly remarkable is that we achieve these improvements without the use of any chemicals or biocides.

Compared to untreated wood siding, KWD offers superior stability and durability. It also requires less maintenance and provides enhanced moisture resistance. Our product comes in four colors and can be painted or stained, giving you the flexibility to customize your exterior to your liking. Furthermore, when compared to alternative materials like vinyl or fiber cement siding, KWD stands out with its natural and authentic wood appearance while still offering many of the benefits associated with other siding materials.

At our company, we have been developing modern wood preservative technologies in Scandinavia since 1977. Over the years, we have witnessed the emergence of thermally modified timber and other non-biocide-based modification technologies. While these developments addressed the needs of our future societies, we felt that they were too complex to become real industrial products capable of creating change on a larger scale.

Motivated by this realization, I embarked on a journey to invent a second-generation modern thermal modification technology. This breakthrough has enabled us to establish a process with significantly reduced lead times and energy consumption, improved product performance, and extensive scientific laboratory and field testing. We are proud to say that KWD is the result of this dedication and ingenuity.

But let me assure you that this is only the beginning. We approach our work with a scientific and people-oriented mindset, aiming to develop new modification processes and products that will benefit nature, people, and society as a whole. Our commitment to innovation and sustainability drives us forward, and we are excited to share our future endeavors with you.

As you experience our product firsthand, I hope you can sense the quality and appreciate its aesthetics. Your satisfaction is of utmost importance to us, and we value your feedback and support. We encourage you to join us on this journey and witness what lies ahead.

Thank you for choosing KLAASWOOD®. We are honored to be a part of your vision as well.

Yours sincerely,

Peter Klaas, Ph.D.

P. Maas







OUR DIFFERENCE

Through innovation, we push the boundaries of wood modification technology. We make high-performing and beautiful modified wood accessible to all.

Today, and for generations to come.

MADE IN THE USA

KLAASWOOD® manufacturers and produces thermally modified wood products in Montana. The company sources the wood in the U.S using sustainable forestry practices.

ENHANCED DURABILITY

KLAASWOOD® becomes more resistant to decay, rot, and fungal growth, increasing its lifespan. The wood meets the requirements of Durability Class One performance, which is the highest achievable level of durability.

INCREASED DIMENSIONAL STABILITY

The treatment process reduces the wood's ability to absorb or release moisture, resulting in improved stability and reduced warping, shrinking, or swelling. Over time, this reduces the development of surface cracks. If the wood is coated, the coating will last longer because of the reduced swelling and shrinking.

ENVIRONMENTALLY FRIENDLY

The thermal modification process is carried out without the use of chemicals, making it a sustainable alternative compared to some other wood treatments using biocides. It is also fully recyclable and has a very low Carbon footprint compared to other products.

BETTER MOISTURE RESISTANCE

Heat treatment lowers the wood's ability to absorb moisture, reducing the risk of damage from moisture-related issues.

NATURAL APPEARANCE

Thermally modified wood maintains its natural wood appearance while achieving improved performance.

Questions?

Please visit ${\bf www.klaaswood.com}$ for more information.



THERMALLY MODIFIED WOOD TECHNOLOGY

KLAASWOOD® = Generation 2 (closed system)
ThermoWood Association = Generation 1 (open system)

Data	Unit of Measure	KWD	TWA	Notes
Process Time	Hours	8	36	Less time = less brittle, less strength loss & quicker lead times
Process Temp	Fahrenheit	338	413	Higher temperatures means increased degradation, strength loss, brittleness and darker color
Process Pressure	PSI	174	Atmospheric	
CO2 Process Emissions	Kg/CO2/MBF	104-130	260-520	Fuel source: wood pellets without re-forestation: 367 g/kWh
Water Consumption	Gal/MBF	0	125	Water is increasingly a scarce resource and partly non-renewable depending on source
Moisture	Percentage (%)	<=6	7	(6 standard conditions (68°F, 65%RH)
Durability	Class Rating	1 - "Very Durable"	2 - "Durable"	



BENEFITS OF KWD PINE

Southern Yellow Pine is a group of 10 different species, of which Shortleaf Pine, Slash Pine, Longleaf Pine and Loblolly Pine are the commercially most important. For KLAASWOOD® we use primarily Longleaf Pine (Pinus Palustris), both plantation grown and old growth. Longleaf Pine is considered the species of highest quality with the highest density and mechanical strength in the grouping. It modifies well and has a beautiful grain.

Strength and Durability: KWD Pine is known for its exceptional strength and durability. It has a high density and strong wood fibers, making it suitable for structural applications in construction.

Load-Bearing Capacity: KWD Pine strength-to-weight ratio and load-bearing capacity make it an excellent choice for structural components like beams, joists, and columns in both residential and commercial buildings.

Versatility: KWD Pine can be used for a wide range of applications, including framing, decking, siding, roofing, flooring, and more. Its versatility makes it a popular choice for various construction and woodworking projects.

Availability: KWD Pine is abundant in the southeastern United States, making it readily available and more affordable compared to some other types of wood.

Easy to Work With: KWD Pine is relatively easy to work with using both hand and power tools. It can be cut, drilled, and fastened without excessive difficulty.

Appearance: KWD Pine has a distinct appearance with a range of color variations, from light yellow to reddish-brown. It can be finished with stains or coatings to enhance its natural beauty.

Stability: KWD Pine tends to have relatively low shrinkage and minimal warping or twisting, which contributes to its stability in various applications.

Environmental Considerations: If sourced sustainably, using KWD Pine can be environmentally friendly, especially if it comes from responsibly managed forests and plantations.

Affordability: Due to its availability and ease of cultivation, KWD Pine tends to be more affordable than some other types of wood, making it an economical choice for construction projects.

It's important to note that the specific benefits of KWD Pine can vary depending on the grade of wood, its treatment, and its intended use. Proper maintenance and care are also essential to ensure the longevity and performance of any wood product, including KWD Pine.

Questions?

Please visit www.klaaswood.com for more information.



BENEFITS OF KWD OAK

Red Oak comprises 10 different species, such as Scarlet Oak, Southern Red Oak, and Black Oak. For KLAASWOOD[®], we use the Northern Red Oak (Quercus rubra), which is the most popular hardwood in the US and of superior quality in the Red Oak grouping. Northern Red Oak is grown in the Northeastern US and Eastern Canada.

Durability: KWD Oak is a hardwood known for its strength and durability. KWD Oak can withstand harsh weather conditions, resist rot, and have a longer lifespan compared to other types of wood.

Aesthetic Appeal: KWD Oak has a natural, attractive grain pattern that adds a timeless and elegant look to outdoor spaces. It can enhance the overall aesthetic of your garden or patio.

Stability: KWD Oak wood tends to be more stable and less prone to warping or twisting compared to some other types of wood. This stability is crucial for maintaining a level and sturdy surface.

Low Maintenance: KWD Oak requires relatively low maintenance. Periodic cleaning and sealing can help preserve its appearance and protect it from the elements.

Versatility: KWD Oak is a versatile material that can be easily shaped and cut. This allows for various design options, and it can be stained or finished to achieve the desired color and style.

Environmental Sustainability: Some KWD Oak lumber is sourced from responsibly managed forests, making it a more sustainable choice. Look for certification labels, such as FSC (Forest Stewardship Council), to ensure the wood comes from responsibly harvested forests.

It's important to note that while KWD Oak has these benefits, it may also come with a higher initial cost compared to some other building materials. However, many homeowners find the long-term benefits and aesthetic appeal justify the investment.

Questions?

Please visit www.klaaswood.com for more information.



SIDING PINE

SKU#	Manufacturer	Product	Species	Pattern	Surface	Color	Dimension	Actual	Actual Width	Actual
5.00	Translature:		000.00	1 4113111	04.1400	00.0.	5	Thickness	notaai main	Length
157190861	KWD	Siding	Pine	Nickel Gap	Combed	Natural	1 x 6 x 8'	0.719 (1.83cm)	5.375 (13.65cm)	8
157191861	KWD	Siding	Pine	Nickel Gap	Combed	Grey	1x6x8'	0.719 (1.83cm)	5.375 (13.65cm)	8
157192861	KWD	Siding	Pine	Nickel Gap	Combed	Cedar	1 x 6 x 8'	0.719 (1.83cm)	5.375 (13.65cm)	8
157193861	KWD	Siding	Pine	Nickel Gap	Combed	Dark Brown	1 x 6 x 8'	0.719 (1.83cm)	5.375 (13.65cm)	8
157190761	KWD	Siding	Pine	Nickel Gap	Combed	*FR-Natural	1 x 6 x 8'	0.719 (1.83cm)	5.375 (13.65cm)	8
157100861	KWD	Siding	Pine	Nickel Gap	Smooth	Natural	1 x 6 x 8'	0.719 (1.83cm)	5.375 (13.65cm)	8
157101861	KWD	Siding	Pine	Nickel Gap	Smooth	Grey	1 x 6 x 8'	0.719 (1.83cm)	5.375 (13.65cm)	8
157102861	KWD	Siding	Pine	Nickel Gap	Smooth	Cedar	1 x 6 x 8'	0.719 (1.83cm)	5.375 (13.65cm)	8
157103861	KWD	Siding	Pine	Nickel Gap	Smooth	Dark Brown	1 x 6 x 8'	0.719 (1.83cm)	5.375 (13.65cm)	8
157100761	KWD	Siding	Pine	Nickel Gap	Smooth	*FR-Natural	1 x 6 x 8'	0.719 (1.83cm)	5.375 (13.65cm)	8
457400063	I/AMB	C' I'	D.	Ni La Co	C l	No.	4 6 40	0.740 (4.02)	E 275 (42 C5)	10
157190862	KWD	Siding	Pine	Nickel Gap	Combed	Natural	1 x 6 x 10'	0.719 (1.83cm)	5.375 (13.65cm)	10
157191862 157192862	KWD	Siding	Pine Pine	Nickel Gap	Combed Combed	Grey Cedar	1 x 6 x 10'	0.719 (1.83cm)	5.375 (13.65cm)	10
157192862	KWD	Siding Siding	Pine	Nickel Gap Nickel Gap	Combed	Dark Brown	1 x 6 x 10' 1 x 6 x 10'	0.719 (1.83cm) 0.719 (1.83cm)	5.375 (13.65cm) 5.375 (13.65cm)	10
157190762	KWD	Siding	Pine	Nickel Gap	Combed	*FR-Natural	1 x 6 x 10'	0.719 (1.83cm)	5.375 (13.65cm)	10
13/130/02	RVVD	Jiung	i iiic	тискет бар	combca	Tit itatarai	1 × 0 × 10	0.715 (1.05011)	3.373 (13.03cm)	10
157100862	KWD	Siding	Pine	Nickel Gap	Smooth	Natural	1 x 6 x 10'	0.719 (1.83cm)	5.375 (13.65cm)	10
157101862	KWD	Siding	Pine	Nickel Gap	Smooth	Grey	1 x 6 x 10'	0.719 (1.83cm)	5.375 (13.65cm)	10
157102862	KWD	Siding	Pine	Nickel Gap	Smooth	Cedar	1 x 6 x 10'	0.719 (1.83cm)	5.375 (13.65cm)	10
157103862	KWD	Siding	Pine	Nickel Gap	Smooth	Dark Brown	1 x 6 x 10'	0.719 (1.83cm)	5.375 (13.65cm)	10
157100762	KWD	Siding	Pine	Nickel Gap	Smooth	*FR-Natural	1 x 6 x 10'	0.719 (1.83cm)	5.375 (13.65cm)	10
					_					
157190863	KWD	Siding	Pine	Nickel Gap	Combed	Natural	1 x 6 x 12'	0.719 (1.83cm)	5.375 (13.65cm)	12
157191863	KWD	Siding	Pine	Nickel Gap	Combed	Grey	1 x 6 x 12'	0.719 (1.83cm)	5.375 (13.65cm)	12
157192863	KWD	Siding	Pine	Nickel Gap	Combed	Cedar	1 x 6 x 12'	0.719 (1.83cm)	5.375 (13.65cm)	12
157193863	KWD	Siding	Pine	Nickel Gap	Combed	Dark Brown	1 x 6 x 12'	0.719 (1.83cm)	5.375 (13.65cm)	12
157190763	KWD	Siding	Pine	Nickel Gap	Combed	*FR-Natural	1 x 6 x 12'	0.719 (1.83cm)	5.375 (13.65cm)	12
157100863	KWD	Siding	Pine	Nickel Gap	Smooth	Natural	1 x 6 x 12'	0.719 (1.83cm)	5.375 (13.65cm)	12
157100863	KWD	Siding	Pine	Nickel Gap	Smooth	Grey	1 x 6 x 12'	0.719 (1.83cm)	5.375 (13.65cm)	12
157102863	KWD	Siding	Pine	Nickel Gap	Smooth	Cedar	1 x 6 x 12'	0.719 (1.83cm)	5.375 (13.65cm)	12
157103863	KWD	Siding	Pine	Nickel Gap	Smooth	Dark Brown	1 x 6 x 12'	0.719 (1.83cm)	5.375 (13.65cm)	12
157100763	KWD	Siding	Pine	Nickel Gap	Smooth	*FR-Natural	1 x 6 x 12'	0.719 (1.83cm)	5.375 (13.65cm)	12
								, ,	, ,	
157190864	KWD	Siding	Pine	Nickel Gap	Combed	Natural	1 x 4 x 14'	0.719 (1.83cm)	5.375 (13.65cm)	14
157191864	KWD	Siding	Pine	Nickel Gap	Combed	Grey	1 x 4 x 14'	0.719 (1.83cm)	5.375 (13.65cm)	14
157192864	KWD	Siding	Pine	Nickel Gap	Combed	Cedar	1 x 4 x 14'	0.719 (1.83cm)	5.375 (13.65cm)	14
157193864		Siding	Pine	Nickel Gap	Combed	Dark Brown	1 x 4 x 14'	0.719 (1.83cm)	5.375 (13.65cm)	14
157190764	KWD	Siding	Pine	Nickel Gap	Combed	*FR-Natural	1 x 4 x 14'	0.719 (1.83cm)	5.375 (13.65cm)	14
			I							
157100864	KWD	Siding	Pine	Nickel Gap	Smooth	Natural	1 x 4 x 14'	0.719 (1.83cm)	5.375 (13.65cm)	14
157101864	KWD	Siding	Pine	Nickel Gap	Smooth	Grey	1 x 4 x 14'	0.719 (1.83cm)	5.375 (13.65cm)	14
157102864	KWD	Siding	Pine	Nickel Gap	Smooth	Cedar Dark Brown	1 x 4 x 14'	0.719 (1.83cm)	5.375 (13.65cm)	14
157103864 157100764	KWD	Siding	Pine Pine	Nickel Gap Nickel Gap	Smooth	Dark Brown *FR-Natural	1 x 4 x 14' 1 x 4 x 14'	0.719 (1.83cm) 0.719 (1.83cm)	5.375 (13.65cm) 5.375 (13.65cm)	14
13/100/64	IKWU	Siding	rine	Mickel Gap	Smooth	I IN-INDICUITAL	1 7 4 7 14	0.713 (1.03(11))	J.373 (13.05CIII)	14
157190865	KWD	Siding	Pine	Nickel Gap	Combed	Natural	1 x 6 x 16'	0.719 (1.83cm)	5.375 (13.65cm)	16
157191865	KWD	Siding	Pine	Nickel Gap	Combed	Grey	1 x 6 x 16'	0.719 (1.83cm)	5.375 (13.65cm)	16
157192865	KWD	Siding	Pine	Nickel Gap	Combed	Cedar	1 x 6 x 16'	0.719 (1.83cm)	5.375 (13.65cm)	16
	KWD	Siding	Pine	Nickel Gap	Combed	Dark Brown	1 x 6 x 16'	0.719 (1.83cm)	5.375 (13.65cm)	16
157190765	KWD	Siding	Pine	Nickel Gap	Combed	*FR-Natural	1 x 6 x 16'	0.719 (1.83cm)	5.375 (13.65cm)	16
									<u> </u>	
157100865	KWD	Siding	Pine	Nickel Gap	Smooth	Natural	1 x 6 x 16'	0.719 (1.83cm)	5.375 (13.65cm)	16
157101865	KWD	Siding	Pine	Nickel Gap	Smooth	Grey	1 x 6 x 16'	0.719 (1.83cm)	5.375 (13.65cm)	16
157102865	KWD	Siding	Pine	Nickel Gap	Smooth	Cedar	1 x 6 x 16'	0.719 (1.83cm)	5.375 (13.65cm)	16
	KWD	Siding	Pine	Nickel Gap	Smooth	Dark Brown	1 x 6 x 16'	0.719 (1.83cm)	5.375 (13.65cm)	16
157100765	KWD	Siding	Pine	Nickel Gap	Smooth	*FR-Natural	1 x 6 x 16'	0.719 (1.83cm)	5.375 (13.65cm)	16

All products listed are durability class 1. *Fire Retardant

SIDING OAK

SKU #	Manufacturer	Product	Species	Pattern	Surface	Color	Dimension	Actual Thickness	Actual Width	Actual Length
167100860	KWD	Siding	Red Oak	Nickel Gap	Smooth	Natural	1 x 6 x (6'-12')	0.719 (1.83cm)	5.375 (13.65cm)	6'-12'

TRIM PINE

								Antoni		Ashval
SKU #	Manufacturer	Product	Species	Pattern	Surface	Color	Dimension	Actual Thickeness	Actual Width	Actual Length
								HIICKEHESS		Length
257290841	KWD	Trim	Pine	S4S	Combed	Natural	5/4 x 4 x 8'	1 (2.54cm)	3.5 (8.89 cm)	8
257291841	KWD	Trim	Pine	S4S	Combed	Grey	5/4 x 4 x 8'	1 (2.54cm)	3.5 (8.89 cm)	8
257292841	KWD	Trim	Pine	S4S	Combed	Cedar	5/4 x 4 x 8'	1 (2.54cm)	3.5 (8.89 cm)	8
257293841	KWD	Trim	Pine	S4S	Combed	Dark Brown	5/4 x 4 x 8'	1 (2.54cm)	3.5 (8.89 cm)	8
257290741	KWD	Trim	Pine	S4S	Combed	*FR-Natural	5/4 x 4 x 8'	1 (2.54cm)	3.5 (8.89 cm)	8
257200841	KWD	Trim	Pine	S4S	Smooth	Natural	5/4 x 4 x 8'	1 (2.54cm)	3.5 (8.89 cm)	8
257200841	KWD	Trim	Pine	S4S	Smooth	Grey	5/4 x 4 x 8'	1 (2.54cm)	3.5 (8.89 cm)	8
257201841	KWD	Trim	Pine	S4S	Smooth	Cedar	5/4 x 4 x 8'	1 (2.54cm)	3.5 (8.89 cm)	8
257203841	KWD	Trim	Pine	S4S	Smooth	Dark Brown	5/4 x 4 x 8'	1 (2.54cm)	3.5 (8.89 cm)	8
257200741	KWD	Trim	Pine	S4S	Smooth	*FR-Natural	5/4 x 4 x 8'	1 (2.54cm)	3.5 (8.89 cm)	8
				'			,	,		
257290842	KWD	Trim	Pine	S4S	Combed	Natural	5/4 x 4 x 10'	1 (2.54cm)	3.5 (8.89 cm)	10
257291842	KWD	Trim	Pine	S4S	Combed	Grey	5/4 x 4 x 10'	1 (2.54cm)	3.5 (8.89 cm)	10
257292842	KWD	Trim	Pine	S4S	Combed	Cedar	5/4 x 4 x 10'	1 (2.54cm)	3.5 (8.89 cm)	10
257293842	KWD	Trim	Pine	S4S	Combed	Dark Brown	5/4 x 4 x 10'	1 (2.54cm)	3.5 (8.89 cm)	10
257290742	KWD	Trim	Pine	S4S	Combed	*FR-Natural	5/4 x 4 x 10'	1 (2.54cm)	3.5 (8.89 cm)	10
257262245	IZIMB	T .	D:	C 45	C !	N	E/A A 101	4 /2 54	2.5.40.00	40
257200842	KWD	Trim	Pine	S4S	Smooth	Natural	5/4 x 4 x 10'	1 (2.54cm)	3.5 (8.89 cm)	10
257201842 257202842	KWD	Trim	Pine	S4S S4S	Smooth	Grey	5/4 x 4 x 10'	1 (2.54cm)	3.5 (8.89 cm)	10
257202842	KWD KWD	Trim Trim	Pine Pine	S4S S4S	Smooth Smooth	Cedar Dark Brown	5/4 x 4 x 10' 5/4 x 4 x 10'	1 (2.54cm)	3.5 (8.89 cm)	10
257200742				S4S	Smooth		-	1 (2.54cm)	3.5 (8.89 cm)	10
23/200/42	KWD	Trim	Pine	343	311100111	*FR-Natural	5/4 x 4 x 10'	1 (2.54cm)	3.5 (8.89 cm)	10
257290843	KWD	Trim	Pine	S4S	Combed	Natural	5/4 x 4 x 12'	1 (2.54cm)	3.5 (8.89 cm)	12
257291843	KWD	Trim	Pine	S4S	Combed	Grey	5/4 x 4 x 12'	1 (2.54cm)	3.5 (8.89 cm)	12
257292843	KWD	Trim	Pine	S4S	Combed	Cedar	5/4 x 4 x 12'	1 (2.54cm)	3.5 (8.89 cm)	12
257293843	KWD	Trim	Pine	S4S	Combed	Dark Brown	5/4 x 4 x 12'	1 (2.54cm)	3.5 (8.89 cm)	12
257290743	KWD	Trim	Pine	S4S	Combed	*FR-Natural	5/4 x 4 x 12'	1 (2.54cm)	3.5 (8.89 cm)	12
257200843	KWD	Trim	Pine	S4S	Smooth	Natural	5/4 x 4 x 12'	1 (2.54cm)	3.5 (8.89 cm)	12
257201843	KWD	Trim	Pine	S4S	Smooth	Grey	5/4 x 4 x 12'	1 (2.54cm)	3.5 (8.89 cm)	12
257202843	KWD	Trim	Pine	S4S	Smooth	Cedar	5/4 x 4 x 12'	1 (2.54cm)	3.5 (8.89 cm)	12
257203843	KWD	Trim	Pine	S4S	Smooth	Dark Brown	5/4 x 4 x 12'	1 (2.54cm)	3.5 (8.89 cm)	12
257200743	KWD	Trim	Pine	S4S	Smooth	*FR-Natural	5/4 x 4 x 12'	1 (2.54cm)	3.5 (8.89 cm)	12
257290844	KWD	Trim	Pine	S4S	Combed	Natural	5/4 x 4 x 14'	1 (2.54cm)	2 5 (9 90 cm)	14
257290844	KWD	Trim	Pine	S4S	Combed	Grey	5/4 x 4 x 14'	1 (2.54cm)	3.5 (8.89 cm) 3.5 (8.89 cm)	14
	KWD	Trim	Pine	S4S	Combed	Cedar	5/4 x 4 x 14'	1 (2.54cm)	3.5 (8.89 cm)	14
257293844	KWD	Trim	Pine	S4S	Combed	Dark Brown	5/4 x 4 x 14'	1 (2.54cm)	3.5 (8.89 cm)	14
257290744	KWD	Trim	Pine	S4S	Combed	*FR-Natural	5/4 x 4 x 14'	1 (2.54cm)	3.5 (8.89 cm)	14
									,	
257200844	KWD	Trim	Pine	S4S	Smooth	Natural	5/4 x 4 x 14'	1 (2.54cm)	3.5 (8.89 cm)	14
257201844	KWD	Trim	Pine	S4S	Smooth	Grey	5/4 x 4 x 14'	1 (2.54cm)	3.5 (8.89 cm)	14
257202844	KWD	Trim	Pine	S4S	Smooth	Cedar	5/4 x 4 x 14'	1 (2.54cm)	3.5 (8.89 cm)	14
257203844	KWD	Trim	Pine	S4S	Smooth	Dark Brown	5/4 x 4 x 14'	1 (2.54cm)	3.5 (8.89 cm)	14
257200744	KWD	Trim	Pine	S4S	Smooth	*FR-Natural	5/4 x 4 x 14'	1 (2.54cm)	3.5 (8.89 cm)	14
			1		l					1
257290845		Trim	Pine	S4S	Combed	Natural	5/4 x 4 x 16'	1 (2.54cm)	3.5 (8.89 cm)	16
	KWD	Trim	Pine	S4S	Combed	Grey	5/4 x 4 x 16'	1 (2.54cm)	3.5 (8.89 cm)	16
257292845	KWD	Trim	Pine	S4S	Combed	Cedar Dark Brown	5/4 x 4 x 16'	1 (2.54cm)	3.5 (8.89 cm)	16
257293845 257290745	KWD KWD	Trim	Pine	S4S S4S	Combed	Dark Brown *FR-Natural	5/4 x 4 x 16'	1 (2.54cm)	3.5 (8.89 cm)	16 16
23/290/45	NWD	Trim	Pine	343	Combed	rk-ivatural	5/4 x 4 x 16'	1 (2.54cm)	3.5 (8.89 cm)	10
257200845	KWD	Trim	Pine	S4S	Smooth	Natural	5/4 x 4 x 16'	1 (2.54cm)	3.5 (8.89 cm)	16
257200845	KWD	Trim	Pine	S4S	Smooth	Grey	5/4 x 4 x 16'	1 (2.54cm)	3.5 (8.89 cm)	16
257201845	KWD	Trim	Pine	S4S	Smooth	Cedar	5/4 x 4 x 16'	1 (2.54cm)	3.5 (8.89 cm)	16
257202845	KWD	Trim	Pine	S4S	Smooth	Dark Brown	5/4 x 4 x 16'	1 (2.54cm)	3.5 (8.89 cm)	16
				ļ				+		
257200745	KWD	Trim	Pine	S4S	Smooth	*FR-Natural	5/4 x 4 x 16'	1 (2.54cm)	3.5 (8.89 cm)	16

TRIM PINE

								Actual		Actual
SKU #	Manufacturer	Product	Species	Pattern	Surface	Color	Dimension	Thickeness	Actual Width	Length
257290861	KWD	Trim	Pine	S4S	Combed	Natural	5/4 x 6 x 8'	1 (2.54cm)	5.5 (13.97cm)	8
257291861	KWD	Trim	Pine	S4S	Combed	Grey	5/4 x 6 x 8'	1 (2.54cm)	5.5 (13.97cm)	8
257292861	KWD	Trim	Pine	S4S	Combed	Cedar	5/4 x 6 x 8'	1 (2.54cm)	5.5 (13.97cm)	8
257293861	KWD	Trim	Pine	S4S	Combed	Dark Brown	5/4 x 6 x 8'	1 (2.54cm)	5.5 (13.97cm)	8
257290761	KWD	Trim	Pine	S4S	Combed	*FR-Natural	5/4 x 6 x 8'	1 (2.54cm)	5.5 (13.97cm)	8
257200861	KWD	Trim	Pine	S4S	Smooth	Natural	5/4 x 6 x 8'	1 (2.54cm)	5.5 (13.97cm)	8
257201861	KWD	Trim	Pine	S4S	Smooth	Grey	5/4 x 6 x 8'	1 (2.54cm)	5.5 (13.97cm)	8
257202861	KWD	Trim	Pine	S4S	Smooth	Cedar	5/4 x 6 x 8'	1 (2.54cm)	5.5 (13.97cm)	8
257203861	KWD	Trim	Pine	S4S	Smooth	Dark Brown	5/4 x 6 x 8'	1 (2.54cm)	5.5 (13.97cm)	8
257200761	KWD	Trim	Pine	S4S	Smooth	*FR-Natural	5/4 x 6 x 8'	1 (2.54cm)	5.5 (13.97cm)	8
257290862	KWD	Trim	Pine	S4S	Combed	Natural	5/4 x 6 x 10'	1 (2.54cm)	5.5 (13.97cm)	10
257291862	KWD	Trim	Pine	S4S	Combed	Grey	5/4 x 6 x 10'	1 (2.54cm)	5.5 (13.97cm)	10
257292862	KWD	Trim	Pine	S4S	Combed	Cedar	5/4 x 6 x 10'	1 (2.54cm)	5.5 (13.97cm)	10
257293862	KWD	Trim	Pine	S4S	Combed	Dark Brown	5/4 x 6 x 10'	1 (2.54cm)	5.5 (13.97cm)	10
257290762	KWD	Trim	Pine	S4S	Combed	*FR-Natural	5/4 x 6 x 10'	1 (2.54cm)	5.5 (13.97cm)	10
257200862	KWD	Trim	Pine	S4S	Smooth	Natural	5/4 x 6 x 10'	1 (2.54cm)	5.5 (13.97cm)	10
257200862	KWD	Trim	Pine	S4S	Smooth	Grey	5/4 x 6 x 10'	1 (2.54cm)	5.5 (13.97cm)	10
257201862	KWD	Trim	Pine	S4S	Smooth	Cedar	5/4 x 6 x 10'	1 (2.54cm)	5.5 (13.97cm)	10
257202862	KWD	Trim	Pine	S4S	Smooth	Dark Brown	5/4 x 6 x 10'	1 (2.54cm)	5.5 (13.97cm)	10
257200762	KWD	Trim	Pine	S4S	Smooth	*FR-Natural	5/4 x 6 x 10'	1 (2.54cm)	5.5 (13.97cm)	10
257290863	KWD	Trim	Pine	S4S	Combed	Natural	5/4 x 6 x 12'	1 (2.54cm)	5.5 (13.97cm)	12
257291863	KWD	Trim	Pine	S4S	Combed	Grey	5/4 x 6 x 12'	1 (2.54cm)	5.5 (13.97cm)	12
257292863	KWD	Trim	Pine	S4S	Combed	Cedar	5/4 x 6 x 12'	1 (2.54cm)	5.5 (13.97cm)	12
257293863	KWD	Trim	Pine	S4S	Combed	Dark Brown	5/4 x 6 x 12'	1 (2.54cm)	5.5 (13.97cm)	12
257290763	KWD	Trim	Pine	S4S	Combed	*FR-Natural	5/4 x 6 x 12'	1 (2.54cm)	5.5 (13.97cm)	12
257200863	KWD	Trim	Pine	S4S	Smooth	Natural	5/4 x 6 x 12'	1 (2.54cm)	5.5 (13.97cm)	12
257201863	KWD	Trim	Pine	S4S	Smooth	Grey	5/4 x 6 x 12'	1 (2.54cm)	5.5 (13.97cm)	12
257202863	KWD	Trim	Pine	S4S	Smooth	Cedar	5/4 x 6 x 12'	1 (2.54cm)	5.5 (13.97cm)	12
257203863	KWD	Trim	Pine	S4S	Smooth	Dark Brown	5/4 x 6 x 12'	1 (2.54cm)	5.5 (13.97cm)	12
257200763	KWD	Trim	Pine	S4S	Smooth	*FR-Natural	5/4 x 6 x 12'	1 (2.54cm)	5.5 (13.97cm)	12
257200064	I/AA/D	T	D:	CAS	C	No.	5/4 C 44	4 /2 54 \	F F (42 07)	4.4
257290864	KWD	Trim	Pine	S4S	Combed	Natural	5/4 x 6 x 14'	1 (2.54cm)	5.5 (13.97cm)	14
257291864	KWD	Trim	Pine	S4S	Combed	Grey	5/4 x 6 x 14'	1 (2.54cm)	5.5 (13.97cm)	14
	KWD	Trim	Pine Pine	S4S S4S	Combed	Cedar	5/4 x 6 x 14' 5/4 x 6 x 14'	1 (2.54cm)	5.5 (13.97cm)	14
257293864 257290764	KWD KWD	Trim Trim	Pine	S4S	Combed Combed	Dark Brown *FR-Natural	5/4 x 6 x 14'	1 (2.54cm) 1 (2.54cm)	5.5 (13.97cm) 5.5 (13.97cm)	14
237290704	KWD	ITIIII	Pille	343	Combed	TR-INdluidi	3/4 X 0 X 14	1 (2.54(11)	[5.5 (15.97011)	14
257200864	KWD	Trim	Pine	S4S	Smooth	Natural	5/4 x 6 x 14'	1 (2.54cm)	5.5 (13.97cm)	14
257201864	KWD	Trim	Pine	S4S	Smooth	Grey	5/4 x 6 x 14'	1 (2.54cm)	5.5 (13.97cm)	14
257202864	KWD	Trim	Pine	S4S	Smooth	Cedar	5/4 x 6 x 14'	1 (2.54cm)	5.5 (13.97cm)	14
257203864	KWD	Trim	Pine	S4S	Smooth	Dark Brown	5/4 x 6 x 14'	1 (2.54cm)	5.5 (13.97cm)	14
257200764	KWD	Trim	Pine	S4S	Smooth	*FR-Natural	5/4 x 6 x 14'	1 (2.54cm)	5.5 (13.97cm)	14
257200005	KWD	Trim	Pine	S4S	Combed	Natural	E/A v C v 4Cl	1 (2.54cm)	E E (12 07a)	16
	KWD	Trim	Pine	S4S		Natural	5/4 x 6 x 16' 5/4 x 6 x 16'	1 (2.54cm) 1 (2.54cm)	5.5 (13.97cm) 5.5 (13.97cm)	16
257291865	KWD	Trim	Pine	S4S S4S	Combed Combed	Grey Cedar	5/4 x 6 x 16'	1 (2.54cm) 1 (2.54cm)	5.5 (13.97cm) 5.5 (13.97cm)	16
257292865	KWD	Trim	Pine	S4S	Combed	Dark Brown	5/4 x 6 x 16'	1 (2.54cm)	5.5 (13.97cm)	16
	KWD	Trim	Pine	S4S	Combed	*FR-Natural	5/4 x 6 x 16'	1 (2.54cm)	5.5 (13.97cm)	16
2.250.03							-,	(=======		
257200865	KWD	Trim	Pine	S4S	Smooth	Natural	5/4 x 6 x 16'	1 (2.54cm)	5.5 (13.97cm)	16
257201865	KWD	Trim	Pine	S4S	Smooth	Grey	5/4 x 6 x 16'	1 (2.54cm)	5.5 (13.97cm)	16
257202865	KWD	Trim	Pine	S4S	Smooth	Cedar	5/4 x 6 x 16'	1 (2.54cm)	5.5 (13.97cm)	16
257203865	KWD	Trim	Pine	S4S	Smooth	Dark Brown	5/4 x 6 x 16'	1 (2.54cm)	5.5 (13.97cm)	16
	KWD	Trim	Pine	S4S	Smooth	*FR-Natural	5/4 x 6 x 16'	1 (2.54cm)	5.5 (13.97cm)	16

TRIM PINE

								Actual		Actual
SKU#	Manufacturer	Product	Species	Pattern	Surface	Color	Dimension	Thickeness	Actual Width	Length
257290881	KWD	Trim	Pine	S4S	Combed	Natural	5/4x8x8'	1 (2.54cm)	7.5 (19.05cm)	8
257291881	KWD	Trim	Pine	S4S	Combed	Grey	5/4x8x8'	1 (2.54cm)	7.5 (19.05cm)	8
257292881	KWD	Trim	Pine	S4S	Combed	Cedar	5/4x8x8'	1 (2.54cm)	7.5 (19.05cm)	8
257293881	KWD	Trim	Pine	S4S	Combed	Dark Brown	5/4x8x8'	1 (2.54cm)	7.5 (19.05cm)	8
257290781	KWD	Trim	Pine	S4S	Combed	*FR-Natural	5/4x8x8'	1 (2.54cm)	7.5 (19.05cm)	8
257200881	KWD	Trim	Pine	S4S	Smooth	Natural	5/4x8x8'	1 (2.54cm)	7.5 (19.05cm)	8
257201881	KWD	Trim	Pine	S4S	Smooth	Grey	5/4x8x8'	1 (2.54cm)	7.5 (19.05cm)	8
257202881	KWD	Trim	Pine	S4S	Smooth	Cedar	5/4x8x8'	1 (2.54cm)	7.5 (19.05cm)	8
257203881	KWD	Trim	Pine	S4S	Smooth	Dark Brown	5/4x8x8'	1 (2.54cm)	7.5 (19.05cm)	8
257200781	KWD	Trim	Pine	S4S	Smooth	*FR-Natural	5/4x8x8'	1 (2.54cm)	7.5 (19.05cm)	8
257290882	KWD	Trim	Pine	S4S	Combed	Natural	5/4x8x10'	1 (2.54cm)	7.5 (19.05cm)	10
257291882	KWD	Trim	Pine	S4S	Combed	Grey	5/4x8x10'	1 (2.54cm)	7.5 (19.05cm)	10
257292882	KWD	Trim	Pine	S4S	Combed	Cedar	5/4x8x10'	1 (2.54cm)	7.5 (19.05cm)	10
257293882	KWD	Trim	Pine	S4S	Combed	Dark Brown	5/4x8x10'	1 (2.54cm)	7.5 (19.05cm)	10
257290782	KWD	Trim	Pine	S4S	Combed	*FR-Natural	5/4x8x10'	1 (2.54cm)	7.5 (19.05cm)	10
257200882	KWD	Trim	Pine	S4S	Smooth	Natural	5/4x8x10'	1 (2.54cm)	7.5 (19.05cm)	10
257201882	KWD	Trim	Pine	S4S	Smooth	Grey	5/4x8x10'	1 (2.54cm)	7.5 (19.05cm)	10
257202882	KWD	Trim	Pine	S4S	Smooth	Cedar	5/4x8x10'	1 (2.54cm)	7.5 (19.05cm)	10
257203882	KWD	Trim	Pine	S4S	Smooth	Dark Brown	5/4x8x10'	1 (2.54cm)	7.5 (19.05cm)	10
257200782	KWD	Trim	Pine	S4S	Smooth	* FR-Natural	5/4x8x10'	1 (2.54cm)	7.5 (19.05cm)	10
257290883	KWD	Trim	Pine	S4S	Combed	Natural	5/4 x 8 x 12'	1 (2.54cm)	7.5 (19.05cm)	12
257291883	KWD	Trim	Pine	S4S	Combed	Grey	5/4x8x12'	1 (2.54cm)	7.5 (19.05cm)	12
257292883	KWD	Trim	Pine	S4S	Combed	Cedar	5/4x8x12'	1 (2.54cm)	7.5 (19.05cm)	12
257293883	KWD	Trim	Pine	S4S	Combed	Dark Brown	5/4x8x12'	1 (2.54cm)	7.5 (19.05cm)	12
257290783	KWD	Trim	Pine	S4S	Combed	*FR-Natural	5/4x8x12'	1 (2.54cm)	7.5 (19.05cm)	12
257200883	KWD	Trim	Pine	S4S	Smooth	Natural	5/4 x 8 x 12'	1 (2.54cm)	7.5 (19.05cm)	12
257201883	KWD	Trim	Pine	S4S	Smooth	Grey	5/4x8x12'	1 (2.54cm)	7.5 (19.05cm)	12
257202883	KWD	Trim	Pine	S4S	Smooth	Cedar	5/4x8x12'	1 (2.54cm)	7.5 (19.05cm)	12
257203883	KWD	Trim	Pine	S4S	Smooth	Dark Brown	5/4x8x12'	1 (2.54cm)	7.5 (19.05cm)	12
257200783	KWD	Trim	Pine	S4S	Smooth	*FR-Natural	5/4x8x12'	1 (2.54cm)	7.5 (19.05cm)	12
257290884	KWD	Trim	Pine	S4S	Combed	Natural	5/4x8x14'	1 (2.54cm)	7.5 (19.05cm)	14
257291884	KWD	Trim	Pine	S4S	Combed	Grey	5/4x8x14'	1 (2.54cm)	7.5 (19.05cm)	14
257292884		Trim	Pine	S4S	Combed	Cedar	5/4x8x14'	1 (2.54cm)	7.5 (19.05cm)	14
		Trim	Pine	S4S	Combed	Dark Brown	5/4x8x14'	1 (2.54cm)	7.5 (19.05cm)	14
257290784	KWD	Trim	Pine	S4S	Combed	*FR-Natural	5/4x8x14'	1 (2.54cm)	7.5 (19.05cm)	14
257200884	KWD	Trim	Pine	S4S	Smooth	Natural	5/4x8x14'	1 (2.54cm)	7.5 (19.05cm)	14
257201884	KWD	Trim	Pine	S4S	Smooth	Grey	5/4x8x14'	1 (2.54cm)	7.5 (19.05cm)	14
257202884	KWD	Trim	Pine	S4S	Smooth	Cedar	5/4x8x14'	1 (2.54cm)	7.5 (19.05cm)	14
257203884	KWD	Trim	Pine	S4S	Smooth	Dark Brown	5/4x8x14'	1 (2.54cm)	7.5 (19.05cm)	14
257200784	KWD	Trim	Pine	S4S	Smooth	*FR-Natural	5/4x8x14'	1 (2.54cm)	7.5 (19.05cm)	14
257290885	KWD	Trim	Pine	S4S	Combed	Natural	5/4x8x16'	1 (2.54cm)	7.5 (19.05cm)	16
257291885		Trim	Pine	S4S	Combed	Grey	5/4x8x16'	1 (2.54cm)	7.5 (19.05cm)	16
257292885		Trim	Pine	S4S	Combed	Cedar	5/4x8x16'	1 (2.54cm)	7.5 (19.05cm)	16
		Trim	Pine	S4S	Combed	Dark Brown	5/4x8x16'	1 (2.54cm)	7.5 (19.05cm)	16
257290785	KWD	Trim	Pine	S4S	Combed	*FR-Natural	5/4x8x16'	1 (2.54cm)	7.5 (19.05cm)	16
257200885	KWD	Trim	Pine	S4S	Smooth	Natural	5/4x8x16	1 (2.54cm)	7.5 (19.05cm)	16
257201885		Trim	Pine	S4S	Smooth	Grey	5/4x8x16'	1 (2.54cm)	7.5 (19.05cm)	16
257202885	KWD	Trim	Pine	S4S	Smooth	Cedar	5/4x8x16'	1 (2.54cm)	7.5 (19.05cm)	16
257203885	KWD	Trim	Pine	S4S	Smooth	Dark Brown	5/4x8x16'	1 (2.54cm)	7.5 (19.05cm)	16
257200785	KWD	Trim	Pine	S4S	Smooth	*FR-Natural	5/4x8x16'	1 (2.54cm)	7.5 (19.05cm)	16

TRIM OAK

SKU#	Manufacturer	Product	Species	Pattern	Surface	Color	Dimension	Actual Thickeness	Actual Width	Actual Length
267200840	KWD	Trim	Red Oak	S4S	Smooth	Natural	5/4 x 4 x (6'-12')	1 (2.54cm)	3.5 (8.89 cm)	6'-12'

SKU #	Manufacturer	Product	Species	Pattern	Surface	Color	Dimension	Actual Thickeness	Actual Width	Actual Length
267200860	KWD	Trim	Red Oak	S4S	Smooth	Natural	5/4 x 6 x (6'-12')	1 (2.54cm)	5.5 (13.97cm)	6'-12'

SKU #	Manufacturer	Product	Species	Pattern	Surface	Color	Dimension	Actual Thickeness	Actual Width	Actual Length
267200880	KWD	Trim	Red Oak	S4S	Smooth	Natural	5/4 x 8 x (6'-12')	1 (2.54cm)	7.5 (19.05cm)	6'-12'

DECKING PINE

All products listed are durability class 1.
*Fire Retardant

SKU #	Manufacturer	Product	Species	Pattern	Surface	Color	Dimension	Actual Thickness	Actual Width	Actual Length
357200863	KWD	Decking	Pine	S4S	Smooth	Natural	5/4 x 6 x 12'	1 (2.54cm)	5.5 (13.97cm)	12
357300863	KWD	Decking	Pine	Double Groove	Smooth	Natural	5/4 x 6 x 12'	1 (2.54cm)	5.5 (13.97cm)	12
357200763	KWD	Decking	Pine	S4S	Smooth	*FR-Natural	5/4 x 6 x 12'	1 (2.54cm)	5.5 (13.97cm)	12
357300763	KWD	Decking	Pine	Double Groove	Smooth	*FR-Natural	5/4 x 6 x 12'	1 (2.54cm)	5.5 (13.97cm)	12
357200864	KWD	Decking	Pine	S4S	Smooth	Natural	5/4 x 6 x 14'	1 (2.54cm)	5.5 (13.97cm)	14
357300864	KWD	Decking	Pine	Double Groove	Smooth	Natural	5/4 x 6 x 14'	1 (2.54cm)	5.5 (13.97cm)	14
357200764	KWD	Decking	Pine	S4S	Smooth	*FR-Natural	5/4 x 6 x 14'	1 (2.54cm)	5.5 (13.97cm)	14
357300764	KWD	Decking	Pine	Double Groove	Smooth	*FR-Natural	5/4 x 6 x 14'	1 (2.54cm)	5.5 (13.97cm)	14
357200865	KWD	Decking	Pine	S4S	Smooth	Natural	5/4 x 6 x 16'	1 (2.54cm)	5.5 (13.97cm)	16
357300865	KWD	Decking	Pine	Double Groove	Smooth	Natural	5/4 x 6 x 16'	1 (2.54cm)	5.5 (13.97cm)	16
357200765	KWD	Decking	Pine	S4S	Smooth	*FR-Natural	5/4 x 6 x 16'	1 (2.54cm)	5.5 (13.97cm)	16
357300765	KWD	Decking	Pine	Double Groove	Smooth	*FR-Natural	5/4 x 6 x 16'	1 (2.54cm)	5.5 (13.97cm)	16

DECKING OAK

All products listed are durability class 1.

SKU #	Manufacturer	Product	Species	Pattern	Surface	Color	Dimension	Actual Width	Actual Thickeness	Actual Length
36720060	KWD	Decking	Red Oak	S4S	Smooth	Natural	5/4 x 6 x (6'-12')	1 (2.54cm)	5.5 (13.97cm)	6'-12'
36730060	KWD	Decking	Red Oak	Double Groove	Smooth	Natural	5/4 x 6 x (6'-12'	1 (2.54cm)	5.5 (13.97cm)	6'-12'

BLANKS PINE

SKU#	Manufacturer	Product	Species	Pattern	Surface	Color	Dimension	Actual Thickeness	Actual Width	Actual Length
4570941	KWD	Blanks	Pine	N/A	N/A	Natural	1 x 4 x 8	0.969 (2.46cm)	3.625 (9.21cm)	8
4570942	KWD	Blanks	Pine	N/A	N/A	Natural	1 x 4 x 10	0.969 (2.46cm)	3.625 (9.21cm)	10
4570943	KWD	Blanks	Pine	N/A	N/A	Natural	1 x 4 x 12	0.969 (2.46cm)	3.625 (9.21cm)	12
4570944	KWD	Blanks	Pine	N/A	N/A	Natural	1 x 4 x 14	0.969 (2.46cm)	3.625 (9.21cm)	14
4570945	KWD	Blanks	Pine	N/A	N/A	Natural	1 x 4 x 16	0.969 (2.46cm)	3.625 (9.21cm)	16
4570961	KWD	Blanks	Pine	N/A	N/A	Natural	1 x 6 x 8	0.969 (2.46cm)	5.625 (14.29 cm)	8
4570962	KWD	Blanks	Pine	N/A	N/A	Natural	1 x 6 x 10	0.969 (2.46cm)	5.625 (14.29 cm)	10
4570963	KWD	Blanks	Pine	N/A	N/A	Natural	1 x 6 x 12	0.969 (2.46cm)	5.625 (14.29 cm)	12
4570964	KWD	Blanks	Pine	N/A	N/A	Natural	1 x 6 x 14	0.969 (2.46cm)	5.625 (14.29 cm)	14
4570965	KWD	Blanks	Pine	N/A	N/A	Natural	1 x 6 x 16	0.969 (2.46cm)	5.625 (14.29 cm)	16
4570981	KWD	Blanks	Pine	N/A	N/A	Natural	1 x 8 x 8	0.969 (2.46cm)	7.625 (19.37 cm)	8
4570982	KWD	Blanks	Pine	N/A	N/A	Natural	1 x 8 x 10	0.969 (2.46cm)	7.625 (19.37 cm)	10
4570983	KWD	Blanks	Pine	N/A	N/A	Natural	1 x 8 x 12	0.969 (2.46cm)	7.625 (19.37 cm)	12
4570984	KWD	Blanks	Pine	N/A	N/A	Natural	1 x 8 x 14	0.969 (2.46cm)	7.625 (19.37 cm)	14
4570985	KWD	Blanks	Pine	N/A	N/A	Natural	1 x 8 x 16	0.969 (2.46cm)	7.625 (19.37 cm)	16
4570861	KWD	Blanks	Pine	N/A	N/A	Natural	5/4 x 6 x 8	1.125 (2.86 cm)	5.625 (14.29 cm)	8
4570862	KWD	Blanks	Pine	N/A	N/A	Natural	5/4 x 6 x 10	1.125 (2.86 cm)	5.625 (14.29 cm)	10
4570863	KWD	Blanks	Pine	N/A	N/A	Natural	5/4 x 6 x 12	1.125 (2.86 cm)	5.625 (14.29 cm)	12
4570864	KWD	Blanks	Pine	N/A	N/A	Natural	5/4 x 6 x 14	1.125 (2.86 cm)	5.625 (14.29 cm)	14
4570865	KWD	Blanks	Pine	N/A	N/A	Natural	5/4 x 6 x 16	1.125 (2.86 cm)	5.625 (14.29 cm)	16

Disclaimer: For the rough blanks which are coming directly from the sawmill, there is some variation in dimensions and these numbers should be considered as minimum numbers. Many of the boards will be wider/thicker than what is stated here.

BLANKS OAK

All products listed are durability class 1.

SKU #	Manufacturer	Product	Species	Pattern	Surface	Color	Dimension	Actual Thickeness	Actual Width	Actual Length
4670940	KWD	Blanks	Red Oak	N/A	N/A	Natural	1 x 4 x (6'-12')	1 (2.54 cm)	4.025 (10.22 cm)	(6'-12')
4670960	KWD	Blanks	Red Oak	N/A	N/A	Natural	1 x 6 x (6'-12')	1 (2.54 cm)	6.025 (15.03 cm)	(6'-12')
4670980	KWD	Blanks	Red Oak	N/A	N/A	Natural	1 x 8 x (6'-12')	1 (2.54 cm)	8.025 (20.38 cm)	(6'-12')
4670860	KWD	Blanks	Red Oak	N/A	N/A	Natural	5/4 x 6 x (6'-12')	1.25 (3.18 cm)	6.0875 (15.46 cm)	(6'-12')

Disclaimer: For the rough blanks which are coming directly from the sawmill, there is some variation in dimensions and these numbers should be considered as minimum numbers. Many of the boards will be wider/thicker than what is stated here.

THERMALLY MODIFIED WOOD

20-YEAR LIMITED WARRANTY

IMPORTANT: This is your warranty certificate. Attach your invoice and proof of warranty.

WARRANTY KLAASWOOD® (KWD) hereby warrants that its thermally modified wood products are manufactured in accordance with industry standards and will, as manufactured, not suffer from rot or fungal decay for a period of Twenty (20) years from the original date of purchase as long as the products have been installed and maintained as provided in the KLAASWOOD® Installation and Maintenance Guide.

This limited warranty extends to the original purchaser of the products and to the owner of a structure on which the products were originally installed on the exterior of the structure (a "Qualified Owner"). This warranty is transferable and is limited to structures located within the continental United States, Alaska, Hawaii and Canada.

EXCLUSIONS Any defect or damage to products due to rot or fungal decay resulting in whole or in part from any of the following conditions is NOT covered by this limited warranty:

- Products placed in or having contact with fresh or saltwater.
- Products removed from their original installation and re-used at a new location.
- Poor or improper maintenance of products such as allowing the accumulation of dirt and other organic matter to occur, or by a material change in the installation environment where the products are unnecessarily subjected to ground contact conditions, such as those created by water or soil entrapment.
- Use for any purpose for which the products were not designed.
- Failure to meet building code requirements or comply with the KLAASWOD® Installation and Maintenance Instructions.
- Excessive moisture exposure due to the lack of proper protection of the products or inadequate insulation or ventilation.
- Abnormal use conditions, such as improper storage, handling, transportation, use, maintenance or installation; impact with other objects; earthquake, flood, fire, acts of God or nature; or any other cause beyond KLAASWOOD®'s control including weather surface checks and variations or changes in the color of the products.
- Exposure or handling that is not consistent with good practices in the construction industry, including misuse and abuse and contact with or exposure to abnormal levels of moisture or insects, mold, mildew, fungi, algae, moss, bacterial growth, decay, rot or comparable conditions.

CONDITIONS AND EXCLUSIVE REMEDIES A Qualified Owner must give KLAASWOOD® written notice no later than sixty (60) days after discovery of any defect for which a warranty claim may be asserted. Such Qualified Owner must give KLAASWOOD® an additional thirty (30) days thereafter to inspect the products prior to any alteration or repair being made. If KLAASWOOD®'s inspection confirms that a manufacturing defect has occurred which is covered by this warranty, KLAASWOOD® will provide such Qualified Owner with a sufficient quantity of replacement products. This warranty is limited to the delivery of such replacement products to such Qualified Owner free of charge, and does not include costs of removal and reinstallation of the products or any other cost. Excluding the express warranty granted in this document, KLAASWOOD®'s products are sold "as is" and "with all faults". The foregoing remedy are KLAASWOOD®'s only obligation relating to this limited warranty for its products and the sole and exclusive remedy of a Qualified Owner for any breach of this limited warranty.

DISCLAIMER OF WARRANTIES This limited warranty is the sole warranty given by KLAASWOOD® with respect to its products. KLAASWOOD® disclaims all other warranties, express or implied, including but not limited to, the implied warranties of merchantability and fitness for a particular purpose. This limited warranty supersedes all prior or contemporaneous oral or written representations concerning the products. No KLAASWOOD® employee or any other person is authorized to modify this limited warranty or make any warranty in addition to the limited warranty set forth in this document. All questions concerning the meaning or applicability of this limited warranty are to be decided under the law of the State of Montana without reference to its choice-of-law rules.

LIMITATION OF REMEDIES AND DAMAGES UNDER NO CIRCUMSTANCES WILL KLAASWOOD® BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR PUNTITIVE DAMAGES, WHETHER ARISING OUT OF OR IN ANY WAY RELATED TO A CLAIM FOR BREACH OF WARRANTY, BREACH OF CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR ANY OTHER LEGAL THEORY, INCLUDING, BUT ARE NOT LIMITED TO, LOSS OF PROFITS, DAMAGE TO THE STRUCTURE ON WHICH THE PRODUCTS ARE INSTALLED, DAMAGE TO OTHER PROPERTY, AND LOSS OF USE OF THE PRODUCTS OR OTHER PROPERTY. ANY ACTION OR SUIT RELATING TO THIS LIMITED WARRANTY MUST BE COMMENCED WITHIN 90 DAYS AFTER THE CAUSE OF ACTION ACCRUES.

REGISTRATION For the foregoing limited warranty to be applicable and enforceable, please register your warranty within ninety (90) days of product purchase. For registration, please submit information on proof of purchase, full name, phone number, address and email address. For claims, please submit information on the number and size of pieces to be replaced, a clear photo of the item, proof of purchase, dated receipt, full name, phone number, address and email address. To transfer this limited warranty, please provide written notice to us within thirty (30) days after the date of transfer of ownership of the structure on which the products were originally installed. For registration, transfer or to make a warranty claim, please send your information to KLAASWOOD® (Peter@klaaswood.com), or the retailer/distributor where the products were purchased.





CONTACT US



Peter Klaas, Ph.D.
President & Founder

- Peter@Klaaswood.com
- **218.766.5272**



Alaina Trowbridge
Director of Enterprise Business

- Alaina@Klaaswood.com
- **720.766.8363**







KLAASWOOD®